

arneg

www.arneg.it


Vertical glass-door
Santiago 2



YOUR NATURALLY INNOVATIVE PARTNER FOR RETAIL SOLUTIONS

into the World

Santiago 2			Lunghezza senza spalle Length without ends Länge ohne Seiten Longeur sans joues Longitud sin laterales Длина без боковин	Temperatura di esercizio Working temperature Betriebstemperatur Temp. de fonctionnement Temperatura de trabajo Рабочая температура	Superficie di esposizione frontale Opening display surface Sichtbare Ausstellfläche Surface d'exposition frontale Superficie de exposición frontal Лицевая площадь экспозиции	Superficie di esposizione orizzontale Horizontal display surface Gesamte Ausstellfläche Surface d'exposition horizontale Superficie de exposición de apoyo Горизонтальная площадь экспозиции	Capacità utile Net volume Nutzleistung Capacité utile Capacidad útil Полезный объем
			mm	°C	m ²		dm ³
LF	085	205	1250	-1°C / +1°C 0°C / +2°C +2°C / +4°C	1,99	3,87	827
			1875		2,99	5,80	1240
			2500		3,99	7,74	1654
			3750		5,98	11,61	2481
		218	1250		2,16	3,87	900
			1875		3,23	5,80	1350
			2500		4,31	7,74	1800
			3750		6,47	11,61	2700
	095	205	1250		1,99	3,99	853
			1875		2,99	5,99	1280
			2500		3,99	7,99	1706
			3750		5,98	11,98	2559
		218	1250		2,16	3,99	934
			1875		3,23	5,99	1402
			2500		4,31	7,99	1869
			3750		6,47	11,98	2803
	105	205	1250		1,99	4,12	879
			1875		2,99	6,18	1319
			2500		3,99	8,24	1759
			3750		5,98	12,36	2638
		218	1250		2,16	4,12	961
			1875		3,23	6,18	1441
			2500		4,31	8,24	1921
			3750		6,47	12,36	2882



Santiago 2 Testate Head-cases

Lunghezza totale
External length
Aussenlänge
Longeur extérieur
Longitud externa
Внешняя Длина

Temperatura di esercizio
Working temperature
Betriebstemperatur
Temp. de fonctionnement
Temperatura de trabajo
Рабочая температура

Superficie di esposizione frontale
Opening display surface
Sichtbare Ausstellfläche
Surface d'exposition frontale
Superficie de exposición frontal
Лицевая площадь экспозиции


Superficie di esposizione orizzontale
Horizontal display surface
Gesamte Ausstellfläche
Surface d'exposition horizontale
Superficie de exposición de apoyo
Горизонтальная площадь экспозиции

Capacità utile
Net volume
Nutzleistung
Capacité utile
Capacidad útil
Полезный объем

		mm	°C	m ²		dm ³
LF	205	1350	-1°C / +1°C	1,99	3,99	853
		1774		2,67	5,35	1142
		1975		2,99	5,99	1280
		2183		3,32	6,65	1421
	218	1350		2,16	3,99	934
		1774		2,89	5,35	1251
		1975		3,23	5,99	1402
		2183		3,59	6,65	1557

COMPOSIZIONI TESTATE - HEAD-CASE CONFIGURATIONS

- ① Testata/Head case ② Mobile refrigerato lineare/Refrigerated linear cabinet ③ Scaffalatura/Shelving





ARNEG S.p.A. - Via Venezia, 58 - 35010 Campo San Martino (PD) Italy - Tel. +39 049 9699333 - Fax +39 049 9699444 - RAEE IT8010000000139
Certified ISO 9001:2008 - ISO 14001:2004 - ISO 50001:2011 - BSOHSAS 18001:2007
Contenuto modificabile senza preavviso. Content can be changed without notice. Inhalt Veränderbar ohne Vorankündigung. Contenu modifiable sans préavis. Contenido modificable sin previo aviso. Содержание изменяется без предупреждения